

KNOW WHAT THEY WEIGH.

PORTABLE | DURABLE | ACCURATE



Precision Weighing Systems

*Digi-Star offers top quality,
practical products for weighing livestock.*

Benefits

Digi-Star scales are exclusively designed for the rugged animal weighing environment. Digi-Star has designed agricultural scales for over 30 years, carefully selected the most durable components and blended them into superior products using the latest technologies.

Combine this with our warranty and 24-hour help desk, and you can see why Digi-Star is the leading manufacturer of precision livestock weighing solutions.

24/7 Support - 1-800-225-7695

At Digi-Star, we understand farming and ranching operations today are fast-paced, operating 24 hours per day, all week long. Our experienced technicians are available when needed, even during evenings and weekends, when increasingly more livestock processing is being completed.

www.digi-star.com

Index

INDICATORS.....PG 3-5

- Lock-On feature provides stable readings despite restless animal movement.
- Backlit display provides excellent visibility in all environments
- Entry level and recording indicators

SOFTWARE.....PG 6

- Indicator to PC data exchange with available serial ports
- Basic reporting tools
- Exportable into herd management programs

LOAD CELLS AND WEIGH BEAMSPG 7-8

- Patented heavy duty load cell for agriculture
- Light duty for portable alleyways
- Squeeze chute systems
- Easy to mount
- Stainless steel cable guard resists cable injury

PLATFORMS AND ACCESSORIES PG 9-10

- Quiet low profile platform
- Right size aluminum decks
- Components available for on-farm replacements

PRODUCT LIST..... PG 11-12

Digi-Star offers 4 indicator models

Features Include:

- EZ calibration for any load cell configuration
- Lock-On weighing
- Bright back-lit display
- Front panel programmable for easy setup and calibration
- "HELP" messages in multiple languages
- 3 mounting bracket styles
- Low battery warning
- AC/DC converter power supply



SW 300

p/n 405157

Our most popular, easy-to-use indicator. Ideal for small producers, FFA and 4H programs.

The SW300 features a compact, durable design with the convenience of an internal battery.

- 'AA' battery (2) powered 30-70 hours of service
- General, Slow, Fast, and Lock-On weigh methods
- Auto shut off to conserve battery life
- 1", 6-digit, bright backlit display
- AC/DC converter power supply
- Pair with SW 3300, SW 6600 load cells only
- 3 different mounting brackets



SW 600

p/n 405159

SW 600 model is the ideal indicator to export basic weight data to chute side and herd management PC software.

- One DB9 serial connector
- Multiple pre-programmed Print formats
- Compatible with all brands of load cells
- Bright, 1", 6-digit backlit display
- AC/DC converter power supply and 12V battery clips
- Use with heavy-duty weigh beams or group scale setup
- 3 different mounting brackets
- Temperature compensated



EZ 400 LFT

p/n 405977

This robust NTEP approved indicator meets your simple weigh needs.

(Legal For Trade)



- One Serial connector
- Multiple pre-programmed Print formats
- Gross/Net, Accumulator features
- AC/DC converter power supply and 12V battery clips
- 3 different mounting brackets



SW 4600EID

p/n 405161

This advanced management indicator features both EID and Visual ID input, with a customizable display offering easy data collection.


- Customizable multi-line display offers performance data during the weighing cycle
- Enter Visual ID, Premise ID, group/pen numbers, code fields, quick data notes
- Average daily weight gain
- Automatic weight and EID tag recording
- 10,000 weigh record capacity
- Compatible with ISO compliant EID wand readers
- Data export via industry standard CSV format
- StockWeigh Link-PC Software (provided) allows communication between the indicator and PC
- Easy download of animal records and upload of quick data note fields



StockWeigh Link Software

Included with purchase of SW4600EID Indicator

- Easy-to-use reports
- Review growth performance and monitor average daily gains.
- Quickly download data from indicator to PC, display in PDF, MS Excel, CSV, HML, and .txt formats
- Data can be incorporated into herd management programs via CSV format



Group	Premise	Wt	Unit	Date/Time	Code	ADWG	Quick Note
HAMP1	A52FV6	59.5	LB	6/16/2012	MED	0	
HAMP1	A52FV6	54.5	LB	6/16/2012	LOW	0	
HAMP1	A52FV6	57	LB	6/16/2012	MED	0	CLBLAMB
HAMP1	A52FV6	67	LB	6/16/2012	HI	0	
HAMP1	A52FV6	62	LB	6/16/2012	HI	0	
HAMP1	A52FV6	60	LB	6/16/2012	MED	0	
HAMP1	A52FV6	93.5	LB	7/3/2012 1:	MED	2	
HAMP1	A52FV6	93.5	LB	7/3/2012 1:	MED	2.29	
HAMP1	A52FV6	96	LB	7/3/2012 1:	HI	2.29	CLBLAMB
HAMP1	A52FV6	97.5	LB	7/3/2012 1:	HI	1.79	
HAMP1	A52FV6	90.5	LB	7/03/2012	MED	1.67	
HAMP1	A52FV6	94	LB	7/03/2012	HI	2	CLBLAMB
HAMP1	A52FV6	141	LB	7/22/2012	HI	2.5	
HAMP1	A52FV6	139.5	LB	7/22/2012	HI	2.21	
HAMP1	A52FV6	130.5	LB	7/22/2012	LO	2.1	TREATED
HAMP1	A52FV6	147	LB	7/22/2012	HI	2.68	CLBLAMB
HAMP1	A52FV6	139	LB	7/22/2012	HI	2.39	
HAMP1	A52FV6	138	LB	7/22/2012	MED	2.31	RR LEG



Why Weigh Livestock?

- Support & improve management decisions
- Monitor performance & feed efficiency
- Herd replacement culling
- Manage medication dosage
- Measure shrink when transporting

Wrangler 3300

p/n 406704, 405164, 407071

LENGTHS: 16" • 24" • 33-1/2"

Gross Capacity: 1,650 lb/weigh beam

Two load cells per system


Cable Length: 15'

Features stainless steel cable guard


Stainless steel channels

Mate with Digi-Star's Aluminum Deck

Accuracy: $\pm 1\%$ and ± 1 display count



Stainless Steel
Cable Guard



- Economical and portable alleyway scale system
- Self levels on uneven surfaces for accurate weight readings
- Perfect for small producers, FFA Chapters and 4-H Clubs, and when production requires multiple weighing locations

ChuteMaster™ 6600

p/n 407083, 407084

LENGTHS: 33-1/2" • 44"

Gross Capacity: 3,300 lb/weigh beam 6,600 lb/pair

Two load cells per system

Cable Length: 15'

Features stainless steel cable guard

Stainless steel channels

Accuracy: $\pm 1\%$ and ± 1 display count



- Designed for small producers with light duty manual chutes.
- For 5x7 ft platform
- Suited for weighing on dirt or cement

ChuteMaster HD7000

p/n 407675, 407341

LENGTHS: 34" and 40"

Gross Capacity: 3,500 lb/weigh beam

7,000 lb/pair

Two load cells per system

Cable Length: 15'

Stainless steel cable guard protection

Powder coated 7GA channel

Accuracy: $\pm 1\%$ and ± 1 display count



- Rugged, manual squeeze chute scale
- Universal mounting
- Use with SW 600 or higher indicator or squeeze chutes

ChuteMaster 10,000/14,000

p/n 407086, 407088

10,000 lb. features (4) 1.5 db
Load Cells and Mounts

14,000 lb. features (4) 1.875 db
Load Cells and Mounts.

Cable Length: 15'

Stainless steel cable guard

Zinc plated mounts
With or without junction box

Accuracy: $\pm 1\%$ and ± 1
display count



- 10,000 lb capacity
Use with high-use manual
chutes and hydraulics
- 14,000 lb capacity
Ideal for heavy hydraulic
chutes, feedlot applications,
and group scales
- Use with SW 600 or higher
indicator or squeeze chutes

25,000 and 50,000 lb Platform Scale Mount System

p/n 407836, 407837

- Easily retrofit a mechanical group scale to
an accurate, easy-to-use digital scale system.
- Kits include all necessary hardware and load cells
to place under an existing group weighing platform
- Rugged zinc plated mounts
- 30 ft cable junction box
- Use with SW 600 or higher indicator



AlleyWay Aluminum Deck

p/n 403360

- 24" W x 6" H x 90" L
- Perfect for FFA Chapters and 4-H Clubs, cow/calf producers
- Offers portability and mobility between multiple weighing locations
- 1" perforated surface reduces slippage and allows self cleaning
- Accepts two 24" Wrangler 3,300 lb load cells
- 3,300 lb capacity
- Transport weight w/load cells is 106 lbs.



Junior Aluminum Deck

p/n 405043

- 28.5" W X 54" L Perfect for hogs, sheep or other small animals
- Fold down display support
- 700 lb capacity
- Wheel and handle assembly available
- Transport weight with load cells is 96 lbs.





Low Profile Platform


p/n 409788 - Platform with SW3300 load cells

p/n 409787 - Platform with SW6600 load cells

NEW

- 29" W X 94" L X 1.94" H
- Two load cell configurations possible with the same platform, choose either Digi-Star's SW 3300 or SW 6600 load cells
- 15' load cell cables with standard stainless steel cable guard
- High traction rubber matting is securely bolted to platform
- Fits in standard alleyways and chutes

Digi-Star's new
low profile platform scale
is designed to reduce noise
and animal stress.



Powercube

p/n 405239
(SW300)



Powercube

p/n 148156
(all other DS models)



Internal Battery

p/n 405819
(SW4600EID) 8 hr duration



Power cable battery

p/n 404777

Lift handles, wheel kit

p/n 405134 (Wrangler Jr)

Indicator Product List

Part Number	Description	Suggested Retail	Page Reference
*405157	SW 300 Indicator Kit, AA battery display for SW 3300/SW 6600 load cells ONLY		3
405977	EZ 400 Indicator Kit, Legal For Trade display with DB-9 conn		4
*405159	SW 600 Indicator Kit, Display with one DB-9 serial conn		4
*405161	SW 4600EID Recording Indicator		5

Load Cell Product List

Part Number	Description	Kit ship wt. lbs	Suggested Retail	Page Reference
*406704	SW 3300-16" Load Cell Kit – pair	34		7
*405164	SW 3300-24" Load Cell Kit – pair	44		7
407071	SW 3300-33.5" Load Cell Kit – pair	59		7
407083	SW 6600-33.5" Load Cell Kit – pair	63		7
407084	SW 6600-44" Load Cell Kit – pair	75		7
*407675	SW 7000-34" Weigh Beam Kit – pair	106		7
*407341	SW 7000-40" Weigh Beam Kit – pair	118		7
407085	Chute Master 10000, Two Load Cell pairs offering two cables to indicator	75		8
407086	ChuteMaster 10000, 4-Point Load Cell Kit, cells, mnts, j-box,j-box cbl	78		8
407087	Chute Master 14000, Two Load Cell pairs offering two cables to indicator	84		8
407088	SW 14K w/J Box, each load cell cable is secured in junction box and only 1 cable connects to indicator ChuteMaster 14,000	87		8
*407836	25,000 LB Heavy Duty Platform Scale Mount KIT	149		8
407837	50,000 LB Heavy Duty Platform Scale Mount KIT	205		8

We reserve the right to modify designs, implement product improvement, or change prices without any obligations with respect to goods purchased

Platform Product List

Part Number	Description	Wt lbs.	Suggested Retail	Page Reference
*403360	Aluminum platform alleyway Platform 24" x 90"	60		9
*405043	Wrangler Junior Aluminum Platform 28.5" x 54"	96		9

Kit Product List

Part Number	Description	Suggested Retail	Page Reference
*406585	Complete SW 300 Alleyway Scale System; Includes SW 300 display, two SW 3300-24" load cells, and 90" aluminum platform		9
*405418	Complete SW 300 Wrangler Junior Scale System; Includes SW 300 display, two SW 3300-24" load cells, and 54" aluminum platform		9
*409658	Complete SW 600 Alleyway Scale System; Includes SW 600 display, two SW 3300-24" load cells, and 90" aluminum platform		9
*408503	Complete SW 4600EID Alleyway Scale System; Includes SW 4600EID recording display, two SW 3300-24" load cells, and 90" aluminum platform		9
*408504	Complete SW 4600EID Wrangler Junior Scale System; Includes SW 4600EID recording display, two SW 3300-24" load cells, lift handle & wheel kit, and 54" aluminum platform		9
*409788	Low Profile with SW3300 load cells NEW		10
*409787	Low Profile with SW6600 load cells NEW		10

Accessories Price List

Part Number	Description	Wt lbs.	Suggested Retail	Page Reference
*405239	AC Powercube replacement for SW 300 ONLY	2		10
*148156	AC Powercube replacement for Digi-Star indicators EXCEPT SW 300	2		10
404777	Power Cable Battery Clips for Digi-Star indicators EXCEPT SW 300	2		10
405134	Wrangler Junior lift handle and wheel Kit	13		10
405819	Internal battery			10

*Items are available @ www.digi-star.com and ship to customer within 5 days.



Feed Management Delivered.

ECONOMICAL | EASY | ACCURATE

Introducing our **NEW** Beef Tracker feed management software program that works in conjunction with the scales on your feed mixer wagon/truck. This allows you to accurately and easily collect and manage feedlot nutrition and populate closeout summaries.

An economical and independent program providing tools for:

- Tracking Feed Costs
- Managing Feed Inventory
- Bunk Reading
- Lot Tracking

Loaded and Delivered.

PRECISELY.

LOADER WEIGHING SYSTEM

WeighLog™ 



Advanced on-board weighing system specifically designed for tractor, skidsteer, and telescopic loaders.

Benefits of WeighLog:


- WeighLog is a user-friendly on-board weighing system that can be used for loading, batch blending, or check weighing
- Maximize productivity and increase efficiency by loading correctly the first time
- Intuitive and easy-to-use WeighLog uses a 4.3" color, resistive (keep your gloves on) touchscreen display
- The WeighLog system can be retrofitted onto wheel, telescopic, skidsteer loaders, and forklifts

Digi-Star LLC
W5527 Hwy 106
Fort Atkinson WI 53538
Tel: (800) 225-7695
Fax: (920) 563-9721
www.digi-star.com

PRECISELY.

"The Digi-Star chute scale makes it easy to check weights; it's comforting to spot check animal's daily gains to mark where my rate of diminishing returns start. I'm able to feed out my steers at a higher weight than some guys want to risk because they don't have scales."

Craig Kurtenbauch, Lawler, IA



StockweighTM 

DIGI★STAR

— TOPCON POSITIONING GROUP —